Predicting Zoonotic Hemorrhagic Fever Events in Sub-Saharan Africa using NASA Earth Science Data for DoD - Global Emerging Infections Surveillance and Response System

Jorge E. Pinzon, SSAI at NASA/GSFC



Public Health Program Review September 18-20, 2012 Newport, RI

Contributors

Remote Sensing Data

• Jorge Pinzon, Assaf Anyamba & Compton J. Tucker: NASA/Goddard Space Flight Center, Biospheric Sciences Branch, Code 614.4, GIMMS Group, Greenbelt, Maryland.

Field Surveillance & Data Support

- Kenneth J. Linthicum & Seth Britch: Center for Medical, Agricultural & Veterinary Entomology, Agricultural Research Service, United States Department of Agriculture, Gainesville, Florida.
- Emad Mohareb, Naval Medical Research Unit 3 (NAMRU-3), Cairo, Egypt

Armed Forces Health Surveillance Center

Kevin Russell, Clair Witt: Div GEIS Operations, Silver Spring, MD

World Health Organization

Pierre Formenty







Overall Goal: strengthen DoD-GEIS efforts to build a sustainable global capacity for predictive surveillance to promote preparedness in US Forces, the Military Health System and the Global Public Health community.

Specific aims:


- Get a better understanding of eco-climatic/disease linkages and their critical pathways to support surveillance and control activities.
- Refine the early warning models for Rift Valley Fever (RVF), and Marburg/ Ebola Hemorrhagic Fever (MHF/EHF) filoviruses in Sub-Saharan Africa with multi-level monthly risk maps.
- Study potential extension of models to other regions and diseases.
- Prototype the development and production of an environmental quality data record (NDVI-rainfall-temperature) that ensures consistency and continuity of data ingest to early warning models and transferability.
- Analysis, predictions and models that provide timely and coherent SYNTHESIS of otherwise disparate information








Project milestones



Data harmonization

Securing long-term data continuity



Inputs

Global Climate indicators

Disease, Vector & Animal Data

Multivariate ENSO Index

NAO, PDO

Imagery time series

Precipitation (PPTN)

NDVI / Temperature

Normalized Difference

Vegetation Index (NDVI)

Current Sensor/Data

Sea Surface Temperature (SST)
Outgoing Longwave Radiation (OLR)

From NOAA(monthly updates)

Latitude&Longitude&Date

TRMM - monthly update AVHRR - biweekly or as needed MODIS - monthly

Integrating Intermediate data,

long-term monitoring

Extended

GPM / 2013

NPP-VIIRS 2011

MODIS

SeaWIFS


Hyperion data







NASA/GIMMS Production System Extending model




Transfer technology

of Risk


Spatio-temporal modeling: framework prediction Accuracy, continuity, expansion and transferability

Model Prediction Framework






RVF in other regions




Am. J. Trop. Med. Hyg., 83(Suppl 2), 2010, pp. 43–51

EHF - Modeling




Pinzon et al. ajtmh 2004



Ebola Cycle:


Rouquet et al. EID 2005







Technology transfer







Communication and transfer of data

RVF Previous Reports

11-Dec-2009 18:21 2.4M <u>RVF0907.pdf</u> RVF0910.pdf 11-Dec-2009 19:58 2.4M RVF0911.pdf 11-Dec-2009 20:06 2.5M **RVF0912.pdf** 17-Mar-2010 15:07 2.4M RVF1001.pdf 17-Feb-2010 20:02 2.3M RVF1002.pdf 18-Mar-2010 18:25 2.3M RVF1003.pdf 15-Apr-2010 11:03 2.6M RVF1004.pdf 18-May-2010 15:56 2.7M **RVF1005.pdf** 15-Jun-2010 19:36 2.7M RVF1006.pdf 19-Jul-2010 21:21 2.5M RVF1007.pdf 13-Aug-2010 07:25 2.4M 21-Sep-2010 10:48 2.4M RVF1008.pdf 18-Oct-2010 10:46 2.5M RVF1009.pdf RVF1010.pdf 12-Nov-2010 13:03 2.7M

RVF

current risk map













Responding to expansion of AFHSC-GEIS predictive surveillance program













Earth Observations **INTEGRATED** ESD & **SYSTEM SRTM** Models **SOLUTION TRMM AVHRR** LANDSAT **MODIS DATA** Afghanistan Pakistan In situ measurements: vector/animal surveillance & NASA/GSFC vector-borne comprehensive list of human cases eco-climatic modeling PREDICTIONS/ **Decision Support Tools OBSERVATIONS FORECASTS** 0.4 0.3 0.2 0.1 Generalizing Higher than average 2007 2009 2010 2006 -20 Thres = 0.7-40 -60 -150 -100 · Temporal/spatial predictive capabilities for monitoring trends in · Unique eco-climatic factors or human activities links to increased the disease epidemiology/epizootology in a region of interest disease exposure · High resolution risk maps for zoonotic surveillance and scientific · Climatic and environmental characterization of risk analysis Value & Benefits Control Opportunity · Monitoring capabilities for global surveillance and response networking

Enable timely collections of routine surveillance data
Enable timely & improved control and prevention efforts

· Better understanding of climate/disease linkage

Readiness Early detection Rapid Response

Improving model – input from partners: Vector Cycles dynamics of vector-borne diseases

During an epidemic, the total number of cases at time t+1 due to contacts with cases at time t is estimated as $C_{t+1} = S_t(1-(1-P)^{Ct})$ Reed-Frost Eq1

Vectorial capacity (V)

The probability of effective contact is a function of potentially infective bites, P = V/T

$$C_{t+1} = S_t(1-(1-V/T)^{Ct})$$

~ $S_t(1-e^{-(V/T)Ct})$

Reed-Frost Eq2

$$V = (m \times a^2 \times p^n) / (-ln(p))m$$


MacDonald Eq

Parameters are a function of function of temperature and rain $18^{\circ}C$ - $30^{\circ}C$: good conditions

Below 16°C development decreases

Above 32°C mortality rate is high

80mm of rain is suitable



m = [vector density] = function(rain, Ts)

p = [probability of living one day] = function(G)

n = [length of EIP in days] = function(rain, Ts, G)












Hantavirus - vector capacity

Modeling vector capacity dynamics


- Field data from Ukraine



RVF – vector capacity

Modeling vector capacity dynamics

- Field data from Kenya
- V as a function of precipitation temperature and vegetation index




CCHF - vector capacity

Feb

Mar

Modeling vector capacity dynamics


- Field data from Turkey




CCHF - vector capacity
Annual dynamics


Modeling vector capacity dynamics

- Field data from Turkey
- V as a function of temperature, vegetation index and precipitation





Responding to the expansion of AFHSC-GEIS predictive surveillance program















Integrating prediction from data sharing dialog





CCHF Risk












Extension for benchmark measures













About NASA Predictive Surveillance Web RS component

Credits and acknowledgments

Special thanks and acknowledgments go to Clara Witt, Claudia Castaneda, Assaf Anyamba, Ken Linthicum, Emad Mohareb and John Haynes for generously sharing their time, expertise, imagery, and data

THANK YOU!

Jorge.E.Pinzon@nasa.gov